

Touch-safe protection cover module (01 434)



Description

Article

Part No.: 01 434

CrossLink[®] 185Power

Touch-safe protection cover module

100 mm wide

100 x 540

for busbars 30, 40, 60, 80, 100, 120 x 10

System

185Power

Product group 06

Subgroup 27

pack size 4

EAN 4021267014346

Catalog page 2015 : 4/1

eCl@ss 6.1 27370390
eCl@ss 7.1 27142190
ETIM 4.0 EC002498
ETIM 5.0 EC002498

Approvals

Standards

IEC 61439-1:2011

Type number: CL185-A100

CCC approval: no certification required

Product data

Electrical data

short-circuit not applicable, since the product does not contain or carry any live parts or
withstandability: is not stressed in the case of a short-circuit

the current carrying capacity of the busbar system is reduced by factor 0,94 when the shock protection module is used,
the factor changes to 0,88 when the base plates of the shrouding system (rear protection) are added

Mechanical data

W x H x D: 100 x 556 x 49
Weight: 34 kg/100
for busbars: 30, 40, 60, 80, 100, 120 x 10

front degree of protection: IP20

Material properties


Cover: temperature stability 125°C,
self-extinguishing in acc. to UL 94,
creepage resistance CTI 600,
halogen-free

Accessories




01 435

CrossLink® 185Power
Front cover IP40
for CrossLink covers
100mm wide, 1-pole



01 440

completion section
499 mm long
499 x 16



01 444

completion section
649mm long
649 x 16