

## Touch-safe protection cover module (01 433)



### Description

#### Article

Part No.: 01 433

CrossLink<sup>®</sup> 185Power

Touch-safe protection cover module

50 mm wide

50 x 540

for busbars 30, 40, 60, 80, 100, 120 x 10

#### System

185Power

Product group 06

Subgroup 27

pack size 8

EAN 4021267014339

Catalog page 2015 : 4/1

eCl@ss 6.1 27370390  
eCl@ss 7.1 27142190  
ETIM 4.0 EC002498  
ETIM 5.0 EC002498

## Approvals

### Standards

IEC 61439-1:2011

Type number: CL185-A50

CCC approval: no certification required

## Product data

### Electrical data

short-circuit not applicable, since the product does not contain or carry any live parts or  
withstandability: is not stressed in the case of a short-circuit

the current carrying capacity of the busbar system is reduced by factor 0,94 when the shock protection module is used,  
the factor changes to 0,88 when the base plates of the shrouding system (rear protection) are added

### Mechanical data

W x H x D: 50 x 556 x 49  
Weight: 16 kg/100  
for busbars: 30, 40, 60, 80, 100, 120 x 10

front degree of protection: IP20

### Material properties


Cover: temperature stability 125°C,  
self-extinguishing in acc. to UL 94,  
creepage resistance CTI 600,  
halogen-free

## Accessories




### **01 435**

CrossLink® 185Power  
Front cover IP40  
for CrossLink covers  
100mm wide, 1-pole



### **01 440**

completion section  
499 mm long  
499 x 16



### **01 444**

completion section  
649mm long  
649 x 16